

Outline of Hazard/Task: Administering emergency First Aid with Covid-19 controls

Location / Grid reference and/or postcode: Various

Risk assessments (RAs) consider hazards, risk levels and likelihood of occurrence associated with the Covid-19 crisis. Previous site or dynamic RAs in place must also be adhered to.

Reviews and sign off:

Working Group (WG) initial review	Date: 17.6.20	Quarterly review & evaluation	Date: 1.10.20
CEO (or designate) Print:	Signature:	CEO (or designate) Print:	Signature:
Colin Preston	Chi. Prof.	Craig Baker	Cofele
WG 2 nd quarterly review	Date:	WG 3 rd quarterly review	Date:
& evaluation		& evaluation	
CEO (or designate) Print:	Signature:	CEO (or designate) Print:	Signature:

General terms for all situations:

Government guidance on Covid-19 Health & Safety precautions must be followed strictly:

Wash hands - Keep washing your hands regularly

Cover face - Wear a face covering in enclosed spaces

Make space - Stay at least 2 metres apart - or 1 metre with a face covering or other precautions

Controls currently in place:

n/a

Additional Covid-19 controls required:

Hazards associated with Covid-19	Persons at risk (circle/highlight): Staff / Volunteers / Contractors / / Customers / Other	Risk Level: High / Medium / Low	Likelihood of Occurrence: High / Medium / Low	PRECAUTIONS To reduce risk level and likelihood of occurrence
Administering emergency First Aid	Volunteers, staff & public	Medium	Low	In line with government advice, it is imperative to ensure hands are washed or where facilities are not available, alcohol gel with at least 60% alcohol content is used before and after treating a casualty.

Regular washing of hands with soap and water for at least 20 seconds is mandatory.





	Wounds and dressings must not be touched with bare hands.
	First Aiders must ensure they do not cough or sneeze over a casualty when treated.
	Wearing gloves is mandatory when dealing with open wounds. Cuts or grazes on own hands must be covered with waterproof dressing.
	All waste to be disposed of safely.
	In cases of suspected cardiac arrest recognised by absence of signs of life and absence of normal breathing: - Responders must not listen or feel for breathing by placing the ear or cheek close to the patient's mouth. If any doubt exists the default position is to start chest compressions until help arrives and ensure an ambulance is on its way. If Covid-19 is suspected, state this when calling 999.
	First Aid responders should place a cloth/towel over the victims mouth and nose and attempt compression only CPR and/or early defibrillation until the ambulance (or advanced care team) arrives.
	Any access to <u>any form</u> of PPE should be worn. After performing compression-only

Regular washing of hands with soap and water for at least 20 seconds is mandatory.



ShropshireWildlife Trust Covid-19 crisis risk assessment

	CPR, all responders should wash hands thoroughly with soap and water or alcoholbased hand gel as a convenient alternative and seek advice from the NHS
	111 coronavirus advice service or a medical adviser. First Aid Kits will contain additional gloves and masks to be checked every 3 months and replenished as used.
	First Aid in relation to Covid- 19 will become a formal addition to the H&S committee agenda.
Version control: V2.0 (Date: 1/10/2020)	Safety sacks will be checked to ensure adequate supplies for working with all external groups .

Regular washing of hands with soap and water for at least 20 seconds is mandatory.

